




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : G06F 15/21	A1	(11) International Publication Number: WO 90/10910 (43) International Publication Date: 20 September 1990 (20.09.90)
(21) International Application Number: PCT/US90/00877 (22) International Filing Date: 16 February 1990 (16.02.90) (30) Priority data: 322,985 14 March 1989 (14.03.89) US (71) Applicant: CHICAGO BOARD OF TRADE [US/US]; 141 West Jackson Boulevard, Chicago, IL 60604 (US). (72) Inventors: BELDEN, Glen, W. ; 4164 Terramere Avenue, Arlington Heights, IL 60004 (US). BROGAN, John, J. ; 505 North Willow Wood Drive, Palatine, IL 60067 (US). O'HALLERAN, Thomas, C. ; 690 Ardsley, Winnetka, IL 60093 (US). GUTTERMAN, Burton, J. ; 780 Bluff, Glencoe, IL 60022 (US). KINSELLA, John, R. ; 508 South Owen, Mount Prospect, IL 60056 (US). BOYLE, Michael, B. ; 2409 Rio Grand Circle, Naperville, IL 60565 (US). CHOW, Alvin ; 901 Cherokee Road, Wil- mette, IL 60091 (US). PHELPS, Bruce ; 116 Lewis Lane, Wheaton, IL 60187 (US). WHITE, James ; 5344 South Nottingham, Chicago, IL 60638 (US).		(74) Agents: SCHLITTER, Stanley, A.; Kirkland & Ellis, 655 Fifteenth Street, North West, Suite 1200, Washington, DC 20005 (US) et al. (81) Designated States: AU, CA, JP, KR. Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>

(54) Title: SIMULATED PIT TRADING SYSTEM



(57) Abstract

© 1989 Chicago Board of Trade

A method and apparatus for market trading is disclosed, the apparatus generally comprising a host processor and a plurality of user terminals in selective communication with the host. Each user terminal includes a selectively partitionable display (205-1, 5, 6, 206, 207) by which market information is conveyed to a participant. Among other features, the method involves the use of icons (205-2, 3) for representing traders, each icon including information relevant to the commodity being traded. The method and apparatus are applicable to markets for trading commodities such as securities, securities options, futures contracts and futures options.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Faso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	IT	Italy	RO	Romania
BR	Brazil	JP	Japan	SD	Sudan
CA	Canada	KP	Democratic People's Republic of Korea	SE	Sweden
CF	Central African Republic	KR	Republic of Korea	SN	Senegal
CG	Congo	LI	Liechtenstein	SU	Soviet Union
CH	Switzerland	LK	Sri Lanka	TD	Chad
CM	Cameroon	LU	Luxembourg	TG	Togo
DE	Germany, Federal Republic of	MC	Monaco	US	United States of America
DK	Denmark				

SIMULATED PIT TRADING SYSTEM

A portion of the disclosure of this patent document contains material to which a claim for copyright is made. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but reserves all other copyright rights whatsoever.

BACKGROUND

The present invention relates to computer-based techniques for replicating a physical, open outcry auction market for trading futures contracts on commodities including agricultural products, financial instruments, stock market indices, and the like.

A futures contract is an agreement providing for the future delivery of a fixed quantity of a commodity under conditions specified by a federally designated exchange. In general, that contract is a firm legal agreement between a buyer and seller to make or take delivery of the underlying commodity and is cleared by a separate clearinghouse.

The futures exchanges house centralized auction markets (called designated contract markets) where standardized contracts, based on quantity and quality of commodity, are bought and sold, for future delivery, by open outcry. It is important to note that the exchanges themselves do not trade commodity contracts, nor do they set prices at which contracts are traded. They merely furnish a place where market participants and their brokerage representatives can meet to buy and sell commodity futures contracts.

Floor traders are generally classified in two ways (1) as speculators, or "locals" who buy and sell for their own accounts, or (2) as floor brokers, who fill orders for commission houses, producers and processors seeking to lock in a price for their products. A "local" can take long-term positions (i.e., weeks or months) or "scalp" over very short periods (liquidating positions within seconds or minutes of entering the transactions). He may trade in one or more pits. He benefits from the speed with which he can take or liquidate positions, but this is in itself no assurance of a profit. Some floor traders specialize in spreads by taking opposite positions between future or options when the price difference appears abnormal. Floor traders have the advantage of lower transaction costs available to all members of exchanges.

Some floor traders execute orders for others but seldom or never trade for themselves. These are brokers, and customers such as commercial processors, exporters, financial institution commodity trading funds and the like. They may receive only a small percentage of the commissions paid by the customer to his commission house, but the commission revenues may be substantial depending on the volume of business. The orders held by a floor broker at any given time are referred to as his "deck." He is allowed to trade for his own account if he chooses, but can use the public orders to benefit his own trading.

Trading generally takes place in a pit or around the outside of a ring. All orders received by member firms are transmitted to the exchange floor for execution and are filled according to bids and offers in the respective pits by open

- 4 -

outcry to all members present at the time. Only one commodity is traded in a pit or around a ring unless the volume is too small to justify so much space. Customarily, those trading the same delivery month of a commodity gather in the same area of the ring or on the same step of the pit so that a broker with an order can locate the particular market as quickly as possible.

Whenever volume is high and price changes of a commodity are rapid, it is not uncommon for different prices to be bid and offered for the same delivery month in different parts of the trading area at the same time. These conditions might result in trades at prices that are never officially quoted or might cause an order to be marked "unable," even though the price on the order was well within the range of trading in that commodity.

Transactions on the trading floor must be reported to the membership and the general public. This is accomplished through a variety of communications systems by the various commodity exchanges. Transaction information is entered by exchange-employed market reporters in each trading pit and is accessible through computer terminals and electronic wallboards on each trading floor.

At the end of each day the clearing house, which may be a subsidiary of the exchange or an independent entity, assumes one side of all open contracts: the clearing house becomes the buyer to each seller of a futures contract, and a seller to each buyer. The clearing house guarantees its members the performance of both sides of all open contracts.

Other aspects of the commodity markets are treated in the literature, which includes Kaufman, "Handbook of Futures Markets," John Wiley & Sons, New York (1984); Rothstein, "The Handbook of Financial Futures," McGraw Hill Book Company, New York (1984); Gould, "The Dow Jones-Irwin Guide to Commodities Trading," Dow Jones-Irwin, Homewood (1981); Goss & Yamey, "The Economics of Futures Trading," John Wiley & Sons (1976); Johnson & Hazen, "Commodities Regulation," Little, Brown and Company, Boston (1989); R. Teweles et al., "The Commodity Futures Game," McGraw-Hill, New York (1974); T. Hieronymus, "Economics of Futures Trading," Commodity Research Bureau, Inc., New York (1971); "Commodity Trading Manual," Chicago Board of Trade, Chicago (1985); and J. Schwager, "A Complete Guide to the Futures Markets," John Wiley & Sons, New York (1984).

The open outcry method of auction trading is widely believed to be the best method of buying and selling goods because of the fast access to the market it provides to all prospective traders. At present the open outcry auction in the pit produces a large quantity of information which must be recorded accurately and quickly by hand. As markets become more complex and international in character, those requirements and the need for the physical presence of human traders in the same place may excessively restrict development of the market.

The information which is available to traders in present-day trading pits includes: (1) the identities of the other traders in the pit; (2) the market activities of the other traders in the pit, including bids, offers, and trades

- 6 -

made or not; (3) the personal appearance of other traders in the pit; and (4) selected news from outside the pit. It should be understood that some of this information is provided to present traders by subtle inferential communication means, such as body language, as well as by more objective means like news tickers and electronic bulletin boards.

Accordingly, an object of the present invention is to replicate the action which occurs in real commodity trading pits with an electronic system which would relieve the restrictions inherent in the such pits while retaining their advantages. Other automated trading systems and the like are disclosed in U.S. Patents 4,789,928; 4,677,552; and 4,674,044.

By using the system of the present invention, traders and their customers will have the benefit of the open outcry auction market's time-proven efficiency in discovering prices; the liquidity that locals bring to the trading pit; the competition between many buyers and many sellers that drives prices to their most economically appropriate level; the transparency of the market, which allows traders to know who is in the market and at what price and quantity; and the ability to provide a superior level of market surveillance.

More than a system for merely matching buy and sell orders, the present invention provides a system that allows traders to create a competitive market. Its trade reaction time closely approximates that associated with a live auction market. Information necessary for traders is presented on a display. The re-creation of the competitive pit provides an incentive for locals to trade, thereby maintaining the

liquidity that is critical to auction market trading. The system also provides market transparency, i.e., participants can see who is in the market and who is executing trades with whom -- an important component of a competitive market. Finally, the present invention's ability to allow participants to view the market, just as if they were physically present, encourages a competitive market and enhances the ability to detect trading abuses that may occur.

With the system of the present invention, traders can quickly see who is in the pit, whether they are buying or selling, in what quantity, the bids and offers, price levels and activity in other contract months and activity in a selected number of other pits.

The electronic auction market, in accordance with the present invention, provides most of the information that is now available in the real pits and additional information and capabilities not available in the real pits. Only the bids and offers that are at the market are presented, just as it is done in the physical pit. Also, the system tabulates all of the bids and offers by contract month and provides a short time frame report of who traded how much with whom. In addition, the system keeps a running tabulation of the trader's own position. The invention further facilitates the auction market by providing different screens for each of the different contract months and trading pits, but still allows traders to move freely between contract months and trading pits.

The present invention also reduces the back office costs to trading firms by reducing the volume of paperwork and

- 8 -

consequent errors. In addition, the system of the present invention automatically sends matched trades through for clearing through the clearing organization, further reducing costs by minimizing mismatched trades or out-trades.

SUMMARY

In accordance with the present invention, an apparatus for auction market trading comprises a host processor which selectively communicates with a plurality of user terminals, each user terminal including a selectively partitionable display by which information is conveyed to a user and means for entering information by which the user participates in the auction market.

The system advantageously employs a high-resolution color display and a keyboard and hand-held mouse for information entry in each user terminal. The display identifies active traders by displaying a separate symbol or icon for each, e.g., either a blue square for those bidding to buy contracts or a red oval for those offering to sell. The quantity of each trader's bid or offer is listed within each icon, as is each trader's badge acronym, so everyone knows who's buying and selling how much.

Also displayed on the screen is a box, which is preferably a contrasting color such as green, listing the trader who is currently making the market by being the first at the best bid or offer price. When that trader's price is hit, his order gets top priority. Trading is done by using the mouse to move a cursor onto the icon of a trader and pushing a button, i.e., "clicking" on the icon.

In one embodiment, users also can type in the initials of several traders and push a single button to fill a larger order by simultaneous transactions with the several traders. Similarly, the present systems can automatically match a large order with a plurality of smaller quantity traders.

The system permits scalping and spread trading by providing selective display of information relating to different commodity contracts.

BRIEF DESCRIPTION OF THE DRAWINGS

The objects and advantages of the present invention will be better understood after a reading of the following detailed description in conjunction with the drawings in which:

Figure 1a shows a block diagram of a portion of an apparatus in accordance with the present invention;

Figures 1b and 1c show embodiments of other portions of an apparatus in accordance with the present invention;

Figures 2a, 2b, and 2c show display partitions in accordance with present invention;

Figure 3 illustrates the presentation of supplementary information on a display;

Figure 4 illustrates a display partitioned for an auction market during auction market trading;

Figures 5a, 5b, and 5c illustrate successive displays of trader identifying information;

Figure 6 shows a display partitioned for "spread" trading;

Figure 7 shows a display partitioned for option trading;
and

- 10 -

Figure 8 shows a functional block diagram of the user terminal instructions.

DETAILED DESCRIPTION

In accordance with the present invention, an electronic method and apparatus are provided which facilitate the rapid exchange of large amounts of inferential and objective information without requiring a physical congregation of traders.

Referring now to the Figures in which like reference numerals indicate like parts throughout, Figure 1a shows a block diagram of an apparatus in accordance with the present invention comprising a host processor 100 that communicates with a plurality of user terminals 200 (only one of which is shown) via a communication link 300. As described in more detail below, the host processor 100 may advantageously be one of the "NonStop" systems manufactured by Tandem Computers, Inc., and each user terminal 200 may be a microExplorer™ processor, made by Texas Instruments Inc. that includes a Model Macintosh II manufactured by Apple Computer, Inc., having a Radius display. It will, however, be appreciated that other suitable devices are commercially available. One embodiment of a user terminal 200 is illustrated in Figure 1b which shows a high-resolution display 201, a keyboard 202 and a mouse 203.

The host processor 100 carries out a plurality of instruction modules, which can be written in any suitable computer language, such as COBOL or TAL. One of a plurality of host receiver modules 110 receives communications from a

selected one of the plurality of user terminals 200 that are logged into the system. Each host receiver module 110 is thus a port into the host processor 100, which is activated initially by an attempt at connection by a user terminal. It will be appreciated that the greater the number of host receiver modules 110 that can be implemented by the host processor, the greater the number of traders who can participate in the auction market.

In operation, a host receiver module 110 receives transactions and other information input to the system at a user terminal and electronically attaches or associates that information with a time of receipt indication. Such time stamping is important for audit and integrity functions of the system. The received transaction and time-stamp are then stored temporarily in a host-in queue in the receiver module, and the host receiver module 110 causes the host to send an acknowledgment of receipt to the transmitting user terminal. In some situations, the host receiver module 110 would cause the host processor 100 to send a not-acknowledged message to the sending user terminal so that the information could be retransmitted. Such situations would typically occur when the host-in queue is temporarily full or when an error in the format of the information, such as might arise from a noisy communication link, occurs.

The host-in queue in the host receiver module 110 is advantageously realized by any suitable randomly accessible buffer memory rather than a first-in, first-out (FIFO) buffer. As described further below, by using a random access buffer, the host processor can sort the information resident

- 12 -

in the buffer and selectively prioritize processing of that information.

A receiver module 110 receives the information from the user terminals 200 and places it in the host-in queue in a predetermined time sequence. The receiver module 110 thus can advantageously arrange for processing of information from a first user terminal before processing of information from a second terminal despite the host receiver's earlier receipt of the second terminal's information. For example, trades by a user in Japan could be processed by a Chicago-located host processor before trades from a Chicago user are processed. In this way, communications link delays can be compensated by the system so that the system access time will be equal for all users.

The Q-monitor module 120 examines the information and time stamps in the host-in queue, and moves that information into a delayed-host-in queue memory 130 at the time determined by the receiver module 110 which placed the information in the host-in queue. For audit and record-keeping purposes, the Q-monitor module 120 adds another time-stamp to each packet of information, and it moves and outputs the packets to the delayed-host-in queue, which can be a FIFO buffer, for transfer to a transaction processor 140.

The transaction processor 140 of the host processor 100 is initialized when the host processor is initialized. In a prototype version, initialization would consist, in pertinent part, of the loading into on-line memory from bulk storage, e.g., a hard disk memory, the host database of authorized users, transactions, screen displays, etc. After

initializing, the transaction processor 140 accepts information from FIFO 130. The processor 140 preferably time-stamps each information packet from the FIFO 130, and verifies that the information is valid, e.g., represents a type of transaction performed by the system. If valid, the transaction processor carries out the transaction by updating host primary and secondary databases that reside, typically, on a hard disk memory. The primary and secondary databases are part of the redundancy of the host processor 100 and thus contribute to the system's failure resistance.

After updating the host primary and secondary databases, the transaction processor 140 inserts into a host-out queue the appropriate information for transmission to the user terminals. For audit purposes it is advantageous to add another time-stamp to each packet of information as it is inserted in the host-out queue, and to write the time-stamped information to an audit log. In a prototype version, at predetermined intervals, the host database would be dumped to bulk storage and, preferably, a backup bulk storage, and primary and secondary system recovery logs would be reset. In the prototype version, the primary and secondary system recovery logs serve the purposes of the host primary and secondary databases.

The information in the host-out queue is communicated to the user terminals through a plurality of host sender modules 150, there being one for each user terminal logged into the system. The host sender module also advantageously time stamps the information as it sends it to the user terminals, and receives an acknowledgement of receipt message from the

- 14 -

user terminal. In the event of a transmission error, the host sender module retransmits the information to the user terminals. It will be appreciated that the host sender module also transmits a message indicating that the host processor is still "alive" in the event that the host-out queue is empty due to a period of market inactivity.

As described in more detail below, each user terminal 200 preferably includes a large proportion of the instructions necessary for carrying out the present trading system. Those instructions are advantageously implemented in LISP, PASCAL or C, although LISP is preferable because of the flexibility it provides. Referring now to the user terminal 200 shown in the block diagram of Figure 1a which is representative of the plurality of user terminals which may be logged into the system simultaneously, a terminal receiver module 210 is activated by the attempted transmission from a host sender module 150 and receives the information transmitted. After time-stamping the received information, the terminal receiver module 210 places the information in a terminal-in queue 220, such as a FIFO buffer, and transmits an acknowledgement message to the host processor 100. If the terminal-in queue 220 is full or if an error in the information is detected by the terminal receiver module, the module 220 transmits a not-acknowledged message to the host processor. The terminal receiver module 210 also handles the "alive" message from the host processor 100 in the event of little market activity.

Information in the terminal-in queue 220 is removed by a terminal transaction processor 230 which time-stamps the information and updates the terminal's database and displays

in accordance with the information through a FIFO buffer 240. As described in more detail below, those updates reflect market activity and certain other information requested by the user.

The information in the FIFO 240 presented to a terminal user and information input to the terminal by the user are transmitted through a terminal user interface module 250. The module 250 has been designed using the ACTION!™ software development tool available from Expertelligence, Inc. The ACTION!™ tool greatly facilitates the writing of window-type code for controlling the display of the microExplorer™ computer. The module 250 carries out a suitable log-in procedure to the host processor 100, thereby causing the host processor to initialize the user terminal database with suitable information from the host database.

After the user terminal 200 is initialized via the terminal user interface module 250, a terminal sender module 260 establishes communication with the host processor 100. The sender module 260 removes data from a terminal-output queue 270, such as a FIFO buffer, attaches a terminal address and time-stamp and communicates the information to the host. When the terminal-output queue 270 is empty for a predetermined time period, the sender module 260 transmits a suitable terminal "alive" message to the host. The sender module 260 is also responsive to the acknowledge, not-acknowledge, error messages received at the terminal from the host processor.

In a preferred embodiment, a large proportion of the instructions for carrying out the trading system of the present invention are written in LISP or C and are resident

- 16 -

in each user terminal 200. In this way, the system's programming is easy to accomplish and the capacity of the communication link 300 is minimized. Referring to Figure 8, which is a block diagram of the organization of the instructions included in each user terminal 200, the instructions 400 resident in a user terminal advantageously comprise a plurality 410-460 of "objects", as they are conventionally referred to in LISP programming, or "applications", as they are referred to when using the ACTION!™ software development tool kit. It will be understood that "objects" and "applications" correspond generally to "subroutines" in other programming languages. They include data and logic structures, including suitable pointers and other indexes, that enable execution of user requests and direct the logical flow of program execution among several "objects."

The START SCREEN application 410 is a LISP object which is executed automatically at turn on of a user terminal 200. The START SCREEN application 410 verifies proper initialization of the terminal 200 and queries the user whether logging into the system is desired.

The LOGIN application 420 is executed in response to an appropriate user input, whether via mouse, keyboard or other entry means. The LOGIN application 420 queries the user for his user name and for his password which, when input, are communicated to the host processor 100 for review. If the user name and password are authorized for access, the LOGIN application 420 responds to receipt of an authorization signal from the host processor by transferring execution to the MENU application 430. If authorization is denied, e.g.,

- 17 -

because the authorized user had previously requested his terminal to be "locked out" during his vacation, execution is returned to the START SCREEN application 410.

Once access is granted to the user terminal 200, a MENU application 430 is executed which queries the user as to which of the other applications, i.e., VIEW PIT 450 and ENTER PIT 460, is desired. As described further below, the interrelation of the applications 430-460 is such that logical execution of the user terminal instructions can move rapidly and easily among the applications.

The SELECT PIT application 440 responds to user inputs indicating which of the trading pits, e.g., financial securities, farm commodities, etc., is desired for view or entry. Depending on the pit selected and the action desired, logical execution of the user terminal program would be directed to the VIEW PIT application 450 or the ENTER PIT application 460. In addition, it will be understood that in response to the user input, the latest relevant information is communicated to the terminal 200 from the host processor 100.

The VIEW PIT application 450 implements the aspects of the present trading system relating to identifying to the user who is in the trading pit selected for viewing. Thus, as described in more detail elsewhere, the application 450 includes LISP objects for generating trader icons with proper identifications, for generating pop-up windows that provide additional identifying information about a selected trader icon, and for quitting the VIEW PIT application 450 and returning to one of the other applications.

- 18 -

The ENTER 'PIT application 460 is the LISP object which implements the active trading features of the present invention. The ENTER PIT application 460 advantageously comprises (1) a Pit Pane object for creating the trading arena portion of the display, (2) a Pit Markets object for creating the display portion relating to other markets in the pit displayed in the trading arena, (3) an Other Pits object for creating the display portion relating to the user-selection of other pits and markets, and (4) a Supplementary Information object for creating the display portion relating to the user-selection of news services and telephone, as well as the personal trading history, recent trades list, trader entry/exit list, and for dealing with user entry of information.

The Pit Pane object itself comprises (i) a price display object for generating the blue and red price displays and their included information for the current market, (ii) a plurality of trader objects for generating the randomly positioned trader icons in the trading arena, and (iii) a priority box object for generating and controlling the green priority box display. In addition, the price display object also includes two trader objects for generating the user's own trader icon in the trading arena, one for bidding and one for offering.

The Pit Markets object which generates the portion of the ENTER PIT application's display relating to other markets in the pit of the trading arena also advantageously executes a price display object and two trader objects, one for bidding and one for offering, for generating the user's own icon in

- 19 -

the other markets displayed on the user's terminal screen. Similarly, the other Pits object executes a suitable price display object for the portion of the display relating to other pits. It will be noted that since, in the preferred embodiment, the other pits' price displays do not include trader icons, the Other Pits object need not execute a trader object.

Furthermore, the Supplementary Information object executes individual objects for carrying out the other aspects of the trading system, e.g., the telephone, the display of which traders have entered and left the pit since the user has entered, the display of the most recent trades made in the pit, the user's personal trading history, the display of messages from the host processor 100 and user terminal 200, and the user's input, e.g., trading activity, screen formatting, etc.

It will be understood that subdividing the tasks of the terminal instructions into LISP objects in the manner described significantly minimizes the complexity of and effort necessary for the implementation of the present system.

The bandwidth or other equivalent measure of capacity required of communication link 300 between each user terminal 200 and the host processor 100 depends on the volume of transactions to be carried out by the present auction trading system. It has been found that for after-hours trading at the Chicago Board of Trade, a normal telephone link's capacity of 9600 BAUD is sufficient because of certain efficiencies inherent in the Macintosh family of computers. Those efficiencies relate to the amount of data needed by one Macintosh

- 20 -

computer to inform a second Macintosh of the contents of its output display, and are inherent to the Macintosh operating system.

In a preferred embodiment of the invention, communication between the user terminal 200 and the host processor 100 is carried out through a combination of two-way, interactive communication and one-way, "broadcast" communication. The "broadcast" feature is implemented by the host processor sending to all logged in user terminals the information necessary to update their displays in light of the trading system activity. Such bursts would preferably occur at predetermined intervals, e.g., one second. The remaining capacity of the communication link 300 is then devoted to interactive communication. As described above, it will be understood that suitable selection of hardware components can minimize the link capacity needed for the system. Of course, communication technologies which provide very high capacity links, e.g., fiber optic links, television vertical blanking interval links, etc., can also be used.

Recognizing that the broadcast of system updating information occurs only at predetermined intervals, the trading system preferably resolves timing conflicts by noting which of conflicting user actions arrived first at the host processor 100. For example, if a first user clicks on a second user's bid icon after the second user has changed his/her bid quantity but before the first user's display was updated by the host broadcast, the trading system preferably would indicate a completed trade for the second user's later quantity. Similarly, if the first user's clicking on the second user's

- 21 -

bid icon arrives at the host processor before the second user's changing his/her quantity arrives, the trading system preferably indicates a completed trade at the second user's earlier quantity.

It will be understood that the phrase "arrives at the host" can include additional timing or delay factors that may be added to communications from selected user terminals. As described above, such additional factors may be used to equalize communication link propagation times for widely separated users, or to favor local users over remote users.

Referring to Figure 2a, there is shown a preferred organization for trading information presented on the display 201 of the user terminal 200. The trading screen is advantageously partitioned into three parts: a trading arena or trading pit area 205, any other pits area 206, and a supplementary information area 207. The other pits area 206 presents price displays for a plurality of user-selected markets in pits other than the pit displayed in the trading pit area 205. Three such other pit price displays are illustrated in Figure 2a, but it will be understood that some other number of price displays may be provided consistent with the size constraints of the display.

The elements of the display partitioning of a trading screen are illustrated in more detail in Figure 2b as follows:

CURRENT CONTRACT PRICE DISPLAY: This price display 205-1 shows the current bid price in a blue shaded area and the current offer price in a red shaded area and the total quantities (e.g., 925 bid, 750 offered) available. An acro-

- 22 -

nym USH indicates that the prices given are for a March bond contract.

MEMBER ICONS: A small red oval 205-2 is called a member Offering icon. The icon includes a member's identifying acronym and the number of contracts he/she is offering. For example, member DAS is offering 50 contracts on March bonds. A small blue box 205-3 is called a member Bidding icon. This icon also contains a member's acronym and the quantity being bid for. For example, member GA is bidding for 100 contracts on March bonds. In the preferred embodiment, the display shows the bids and offers that are at the market or the icons would not appear on the trading screen.

The shapes and colors of the icons representing traders are selected to convey a substantial amount of pertinent information. In a preferred embodiment, a trader who is bidding is represented by an icon which is a blue square or other polygon. A trader who is offering is represented by an icon which is a red oval or other curved shape. On an identification display screen described in more detail below, a trader who is present in the pit, but is neither bidding nor offering, may be represented by a green third shape, and those who have left the pit may be indicated by a colorless icon having a shape in accordance with the absent traders' actions while in the pit.

Other important information conveyed by the icons are the identity of the traders in the pit and quantity that each trader is bidding or offering. This information is provided by including an alphanumeric string, such as a three-letter tag, for the trader's identity and a numeric string for the

- 23 -

trader's quantity in each icon. As described in more detail below, additional information about each trader can be accessed through calling up to the display one or more screens for providing such information, and some traders may be permitted to have no quantity showing in their icons.

PRIORITY BOX: The green box 205-4 in the upper left-hand area of the trading screen is the priority box. The offer or bid of the first member to make the market is placed in the priority box and automatically becomes the first bid or offer hit. As shown in Figure 2b, member CZ's bid for 100 contracts made the market at 09.

TRADING ARENA: The large area 205-5 of the trading pit screen is the trading arena. The icons of all the members who are at the bid or on the offer appear randomly positioned in the trading arena. Only one contract at a time can be placed in the trading arena.

CURRENT PIT PRICE DISPLAY: The price displays 205-6 at the bottom of the screen (eight are shown in Figure 2b) are for other contracts within the US Treasury bond pit. These displays show the current bid and offer prices and total quantities available in other contracts (including spread markets) within the Treasury bond pit. The current pit price displays may include indicators, e.g., P1, P2, P3, etc., which relate the contracts represented by the price displays to price display keys on the keyboard (see Figure 1c).

OTHER PITS PRICE DISPLAYS: The top right hand side of the trading screen contains the other pits area 206 showing three price displays for contracts outside the Treasury bond pit. Users can choose which pits and contracts they wish to view.

- 24 -

The displays give bid and offer prices and total quantities available.

The supplementary information area 207 may include the following:

PIT TRADE SUMMARY BOX: This box or window displays the most recent trades that have occurred in the pit on the trading screen. For trades with brokers, the pit trade summary box preferably shows the clearing firm name of the broker's customer.

PERSONAL TRADE SUMMARY BOX: A personal trade summary box or window computes the user's own trading position. For example, if member KIN most recently sold 75 USZ to member JOH at a price of 11, the entry in the personal trade summary box shown on member KIN's trading screen would include "-75@ 11 JOH USZ."

NEWS SERVICES BOX: A news services box or window provides the text of items and reports carried by public or private information services such as Reuters and Dow Jones.

TELEPHONE: A telephone box or icon is an area provided for the telephone feature of the system, whereby a user can initiate a private conversation with another user by clicking on the telephone icon and, for example, then clicking on the other user's icon.

MESSAGES: A messages box provides the text of messages from the host processor and the local user terminal processor, e.g., for calling improper keystroke sequences to the user's attention.

It will be understood that other information may be provided to the user terminal display appropriate to the

- 25 -

operation of an auction trading system, although it has been found that the substance and arrangement of the user terminal display in the manner described is successful not only in substantially replicating the "look and feel" of a live auction market, but also in providing additional features and advantages which are only available from a system in accordance with the present invention.

As described above, the trading pit area 205 of the trading screen may be suitably reconfigured according to the user's preference to show one or all of the markets in a given pit. As shown in Figure 2c, the trading pit area can be filled with price displays and not retain any trading arena area 205-5. It will be understood that other configurations of the trading screen are also possible.

Referring now to Figure 3, there is illustrated part of the information presented in the supplementary information area 207 of the trading screen. As described above, the area 207 preferably includes a user-private personal trade summary box 207-1, a telephone box or icon 207-2 and a news service box 207-3. Selecting one of the news services indicated in the box 207-3 causes the system to form a window 207-4 in the supplementary information area for presentation of information from the selected news service. Also illustrated in Figure 3 is the pit trade summary box 207-5 which provides a list of the most recent trades occurring in the pit on display. As shown, five trades may be listed with each listing appearing for a predetermined time interval, e.g., thirty seconds. It will be understood that another number of trades, e.g., seven, may be listed in the pit trade summary box 207-5, and the

- 26 -

period of display may also be varied according to the usual considerations and constraints such as space available on the display.

Figure 4 illustrates how a trade is indicated on the trading screen by showing an arrow between the relevant users. It will be understood that other means of indicating trades may also be employed, e.g., an arrow plus a starburst-like indication or blinking trader icons. Those indications contribute to a video-game-like look and feel that may be achieved by the present trading system and help to replicate the emotion of a physical auction market. It can be noted in Figure 4 that it is a preferable feature of the system that the icon of the trader making the market, i.e., CZ is making the bid market at 9 in Figure 4, is shown in the priority box and that trades are completed by the system only with that market maker until his/her quantity is met. After that time trades may be carried out between the icons randomly positioned in the trading arena. The participants of these trades are determined completely by the users. Resting orders comprising bids or offers which are not at the market may be entered into the system; such orders will not appear in the trading arena until all bids or offers at the market are met.

Referring to Figures 5a, 5b and 5c, there are illustrated screens of the user terminal display when the VIEW PIT application 450 is executed. A first identification screen shown in Figure 5a preferably indicates which traders are present in the pit, i.e., are viewing the particular pit on their trading screens, but are not making a bid or offer at the

- 27 -

market. The trader icons shown in Figure 5a are advantageously color and/or shape coded to indicate the intentions or status of the traders. It will be appreciated that shape-coding may be employed to compensate for user or user terminal color-blindness. Figure 5b shows a pop-up window that can be accessed by clicking on member KIN's icon in the information screen of Figure 5a, Figure 5c shows a pop-up window that can be accessed from the prior window, e.g., by clicking on the KIN icon again. It will be understood that the present system permits users to call up the identification screens whenever desired after logging into the system.

Figures 6 and 7 illustrate possible organizations of the trading screen for spread trading and option trading, respectively. It will be appreciated that the quantity of information needed to be presented on the spread trading screen limits the number of partitions of the trading arena of the user terminal display that can be made. That limit is desirable in order to maintain a useful size for the spread partitions. Four spread partitions are shown in Figure 6, each of which includes a suitable price display and participating trader icons. It will be understood that a user can mix spread partitions with outright partitions on his display.

Referring to Figure 7, the trading arena partition of the user terminal display for options trading would advantageously include more than one type of option transaction. Combinations of different options, strikes, and expirations are typically referred to as packages. Packages such as # 23 and # 4 are illustrated in the figure.

- 28 -

Referring again to Figure 2b, the following will illustrate the operation of the system. Figure 2b represents a possible trading screen for a hypothetical Member TCO. The keys referred to below are illustrated in Figure 1c; it will be understood that the keyboard may be a device that is dedicated to the trading system or employs suitably identified keys provided on a conventional computer keyboard.

(i) To hit a bid or take an offer in MAR89 bonds (abbreviated "USH")

- mouse: enter amount (if less than what icon is showing), point and click on icon with mouse in the appropriate partition.
- keyboard: enter amount (if less than what icon is showing), type member acronym, press BUY (or SELL) action key.

e.g., to buy 50 MAR89 contracts from member TNT
TNT + (press BUY key).

e.g., to buy 40 MAR89 contracts from member TNT
40 + TNT + (press BUY key).

(ii) To hit a bid or take an offer in JUN89 bonds

>> To hit a bid or take an offer in JUN89 bonds Member TCO must have the JUN89 market enter the trading arena. By clicking on the JUN89 price display or pressing the P2 key and the ENTER key, member TCO can have the JUN89 market enter the trading arena. The MAR89 market moves into the P2 display. Once the JUN89 market has entered the trading arena, member TCO

- 29 -

can follow the same steps as in (i) above to hit a bid or take an offer.

In summary:

- mouse: click on the JUN89 price display to have the JUN89 market enter the trading arena. Enter amount (if less than what icon is showing), point and click on icon with mouse in the appropriate partition.
- keyboard: press the P2 key and the ~~ENTER~~ key to have the JUN89 market enter the trading arena. Enter amount (if less than what icon is showing), type member acronym, press BUY (or SELL) action key.

e.g., to buy 50 JUN89 contracts from member KIN
(press P2 key) + (press ENTER key) + 50 +
KIN + (press BUY key.)

(iii) To enter a bid or an offer in MAR89 bonds

- mouse: enter amount (press "@" key and enter price if bidding at a price different than the current market price), point and click on bid/offer box for MAR89 bonds with mouse.

- 30 -

- keyboard: enter amount (press "@" key and enter price if bidding at a price different than the current market price), press BID (or OFFER) action key.

e.g., to bid for 50 MAR89 contracts at price 09
(current market bid price is 09)

50 + (press BID key).

e.g., to bid for 50 MAR89 contracts at price 10
..... (current market bid price is 09)

50 + (press @ key) + .10 + (press BID
key).

(iv) To enter a bid or an offer in JUN89 bonds

>> Assume that the MAR89 market is in the trading arena.

- mouse: enter amount (press "@" key and enter price if bidding at a price different from the current market price), point and click bid/offer box for JUN89 bonds with mouse.
- keyboard: press the P2 key, enter amount, (press "@" key and enter price if bidding or offering at a price different from the current market price), press BID (or OFFER) key.

e.g., to bid for 50 JUN89 contracts at price 09
(current market bid price is 09)

(press P2 key) + 50 + (press BID key).

e.g., to bid for 50 JUN89 contracts at price 10
(current market bid price is 09)

(press P2 key) + 50 + (press @ key) + 10 +
(press BID key).

(v) To use group feature

- mouse: point and click on icons in the trading arena with mouse while holding down "shift" key.
- keyboard: type member acronym, press "+" key, type next member acronym, press "+" key, etc. End with "BUY" key or "SELL" key.

e.g., to group member KIN and member BJG

KIN + (press "+" key) + BJG + (press "BUY" key or "SELL" key).

(vi) To cancel a bid in MAR89 bonds

Assume that the MAR89 market is in the trading arena.

- 32 -

- mouse: point and click on your bid icon for MAR89 bonds with mouse.
- keyboard: press CANCEL-BID key.

(vii) To cancel a bid in JUN89 bonds

Assume that the MAR89 market is in the trading arena.

- mouse: point and click on your bid icon for JUN89 bonds with mouse.
- keyboard: press P2 key, and then press CANCEL-BID key.

e.g., to cancel your bid for 10 JUN89 contracts at price 09

(press P2 key) + (press CANCEL-BID key).

(viii) To cancel all bids in all bond markets

- mouse: point and click on bid/offer icon in any market while holding down the OPTION key.
- keyboard: press the CANCEL-BOTH key while holding down the OPTION key.

- 33 -

e.g., to cancel your bid for 10 JUN89 contracts at price 08 and your offer for 10 SEP89 contracts at price 26.

(hold down OPTION key) + (press CANCEL-BOTH key).

It will be understood that the foregoing description is illustrative only and that one of ordinary skill in the art will recognize various modifications which do not depart from the spirit and scope of the invention that are to be limited ~~solely by the following claims.~~

- 34 -

What Is Claimed Is:

1. In an automatic system for replicating a live auction for the trading among traders of futures contracts, the combination comprising:

a plurality of user terminals for permitting a plurality of traders to enter bids and offers into the system;

display means associated with each user terminal for displaying representations of an auction pit at which a commodity is being traded, each trader offering to sell a quantity of the commodity at the market price being represented by a first type of icon, and each trader offering to buy a quantity of the commodity at the market price being represented by a second type of icon;

entry means associated with each user terminal for permitting a user to make a bid or offer for a selected quantity of the commodity;

host processing means for automatically executing a transaction when a user hits a bid or takes an offer of an other user; and

communication means for communicating between each of said user terminals and said host processing means data indicating bids and offers and the hitting of bids and the taking offers.

2. The combination of claim 1, wherein the communication means enables periodic bursts of refresh and update data and two-way communications between user terminals and the host processing means between bursts.

SUBSTITUTE SHEET


3. The combination of claim 1, wherein the user terminals include terminal processor means that permit users to select which of a plurality of pits is to be displayed on said user display means and to make bids and offers in the pit selected.

4. The combination of claim 1, wherein the host processing means includes means for selecting an access time between the host and the various user terminals.

5. The combination of claim 1, wherein only icons for bids and offers at the market prices are displayed on a trading arena shown on the terminal display means.

6. The combination of claim 1, wherein said terminal display means further comprises means for displaying representations of all traders in the pit not bidding or offering at the market price.

Fig. 1a



© 1989 Chicago Board of Trade









Fig. 1c












Fig. 4

SCREEN 2.00

WHO IS IN THE PIT ?

☐ bidding in the pit
☒ offering in the pit
☒ in the pit
☐ has left the pit

XXX
 ZED
 ZIG
 ZIP
 ZYZ

HOP
 KIN
 KMT
 KZU
 LIM
 MAZ
 OPP
 TOO
 THU
 TTK
 TNT
 UFO
 VAP
 BUG
 BBY
 BLU
 DAB
 DAK
 EBK
 EPP
 ERD
 FAY
 GA
 GB
 HAL
 HAT

Fig. 5a

SCREEN 3.00

WHO IS IN THE PIT ?

BJG

BBY

BLU

DAB

DAK

EBK
5

EPP

ERD

FAY

GA

GB

HAL

HAT

HOP

KIN
10

KMT

KZU

LIM

MAZ

OPP

TCO

THU

TKK

TNT

UFO

VAP

XXX

ZED

KIN

John R. Kinsella

logon : 08:00

logoff:

activity:

message:

more

bidding in the pit

offering in the pit

Fig. 5b

SCREEN 4.00

WHO IS IN THE PIT ?

SCREEN 4.00

☐ BJC
☐ BBY
☐ BLU
☐ DAB
☐ DAK
☐ EBK
☐ EPP
☐ ERD
☐ FAY
☐ GA
☐ GB
☐ HAL
☐ HAT

☐ HOP
☐ KIN
☐ KMT
☐ KZU
☐ LIM
☐ MAZ
☐ OPP
☐ TCO
☐ THU
☐ TKK
☐ TNT
☐ UFO
☐ VAR

☐ XXX
☐ ZED

☐ John R. Kinsella
 logon : 08:00
 logoff:
 activity:
 message:


☐ KIN John R. Kinsella
 President/Chief Executive Officer
 Jernigan-Kinsella & Co.
 141 W. Jackson - Rm. 1679
 Chicago, IL. 60604
 (312) 341-7550

Board of Directors-Director (Term Expiring 1989);
 Executive Committee on Competitive Stances; F.I.
 Executive, Chairman; Special Committee on
 Expanded Trading Hours, Co-Chairman;
 AdHoc Committee to Review the Commodity
 Exchange Act; and AdHoc Committee to
 Review Financial Standards

☐ bidding in the pit
☐ offering in the pit


Fig. 5c

© 1989 Chicago Board of Trade



supplementary
information

Fig. 6



©1989 Chicago Board of Trade

Fig. 7




Fig. 8

INTERNATIONAL SEARCH RE. JRT

International Application No.

PCT/US90/00877

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all.)

According to International Patent Classification (IPC) or to both National Classification and IPC

IPC (5) : G06F 15/21

U.S. CL : 364/401,408; 340/825.26, 825.27, 825.35

II. FIELDS SEARCHED

Minimum Documentation Searched

Classification System

Classification Symbols

U.S. 364/408

Documentation Searched other than Minimum Documentation
to the Extent that such Documents are Included in the Fields Searched

III. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of Document, with indication, where appropriate, of the relevant passages *	Relevant to C1? - Yes *
Y	US,A 4,677,552 (SIBLEY, JR.) 30 June 1987 See Figure 2; Column 11, Line 41 through Column 12, Line 2.	1-6
Y,E	US,A 4,903,201 (WAGNER) 20 February 1990 See Entire Document.	1-6
A	US,A 4,760,527 (SIDLEY) 26 July 1988 See Figures 17-20.	1-6
A	US,A 4,799,156 (SHAVIT ET AL) 17 January 1989	1-6
Y	Scientific American, July 1978, N.V. Findler, "Computer Poker", See Pages 144-51. (Particular Page 145).	1-6

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search

16 April 1990

Date of Mailing of this International Search Report

10 JUL 1990

International Searching Authority

ISA/US

Signature of Authorized Officer

for Clark Jablon

Nguyen H. Nguyen
HO NGUYEN

III DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document with location where appropriate, of the relevant passages	Relevant to Claim No.
A,P	Dealing with Technology, ISSN: 0955-2138, January 1990, "LIFFE introduces APT", pages unknown.	1-6
A,P	PTS database News Release, October 23, 1989, "London Futures Exchange Selects Sun Spare-Based Workstations for Trading System", See Page 1.	1-6
A,P	Reuters News Service, 29 November 1989, C. Oxlee, "Screen Trading Comes to LIFFE on Thursday".	1-6
Y	Financial Times, 02 February 1989, K. Campbell, "LIFFE plans to put open-outcry pits on the screen, See London page 37.	1-6